

User API Auth Function Reference

◦ ServiceStatus

`http://mail.esvaspamtest.com/esva-api/myemail.php?token=XXX`

`http://mail.esvaspamtest.com/esva-api/myemail.php?token=XXX&username=user.testi@libraesva.com`

`http://mail.esvaspamtest.com/esva-api/myemail.php?token=XXX&username=user.testi@libraesva.com&password=wrong_pwd`

`http://mail.esvaspamtest.com/esva-api/myemail.php?token=XXX&username=user.testi@libraesva.com&password=LibraTestPwd`

OPTIONAL VALUES:

- **output:** xml (default), html, json

◦ Version

`http://mail.esvaspamtest.com/esva-api/myemail.php?token=XXX&username=user.test@libraesva.com&password=LibraTestPwd&action=version`

◦ ShowUser

`http://mail.esvaspamtest.com/esva-api/myemail.php?token=XXX&username=user.test@libraesva.com&password=LibraTestPwd&action=showuser`

<http://mail.esvaspamtest.com/esva-api/myemail.php?token=XXX&username=davide&password=xxxxxx&action=showuser>

◦ ShowMyEmail

<http://mail.esvaspamtest.com/esva-api/myemail.php?token=XXX&username=user.testi@libraesva.com&password=LibraTestPwd&action=showmyemail>

<http://mail.esvaspamtest.com/esva-api/myemail.php?token=XXX&username=davide&password=xxxxxx&action=showmyemail>

OPTIONAL VALUES:

- **limit:** default 25 max 1000
- **offset:** skip this amount of messages
- **date:** set a date (Y/m/d)
- **from:** sender email
- **subject:** subject of the email
- **fromdomain:** domain of the sender
- **quarantined:** set y to get only quarantined messages
- **status:** either spam or released or clean or hispam or blacklist or whitelist or virus or attachement or other or mcp or highmcp

◦ ShowMyList

<http://mail.esvaspamtest.com/esva-api/myemail.php?token=XXX&username=user.testi@libraesva.com&password=LibraTestPwd&action=showmylist>

<http://mail.esvaspamtest.com/esva-api/myemail.php?token=XXX&username=davide&password=xxxxxx&action=showmylist>

◦ MsgRelease

<http://mail.esvaspamtest.com/esva-api/myemail.php?token=XXX&username=user.testi@libraesva.com&password=LibraTestPwd&action=msgrelease&msgid=768A4400FD.A63>

<http://mail.esvaspamtest.com/esva-api/myemail.php?token=XXX&username=user.testi@libraesva.com&password=LibraTestPwd&action=msgrelease&msgid=768A4400FD.A63E8>

Error: Missing MsgId Param

Error: No Message found

Error: Message access not allowed for this user

◦ MsgDetails

<http://mail.esvaspamtest.com/esva-api/myemail.php?token=XXX&username=info@esvaspamtest.com&password=usertest&action=msgdetails&msgid=B57A040229.AE86C>

<http://mail.esvaspamtest.com/esva-api/myemail.php?token=XXX&username=info@esvaspamtest.com&password=usertest&action=msgdetails&msgid=0DDA240278.A231C>

Error: Missing MsgId Param

Error: No Message found

Error: Message access not allowed for this user

◦ ListMsgById

<http://mail.esvaspamtest.com/esva-api/myemail.php?token=XXX&username=info@esvaspamtest.com&password=usertest&action=listmsgbyid&msgid=C4D2D400C8.A9BF6&list=whitelist>

Errors:

MsgId not found or forbidden.

Invalid List

◦ addBlackList

<http://mail.esvaspamtest.com/esva-api/myemail.php?token=XXX&username=info@esvaspamtest.com&password=usertest&action=addblacklist&from=pippo123@libero.it&to=info@esvaspamtest.com>

Errors: TO email not in User Alias.

Multi Recipients:

[http://mail.esvaspamtest.com/esva-api/myemail.php?token=XXX&username=info@esvaspamtest.com&password=usertest&action=addblacklist&from=pippo123@libero.it&to=info@esvaspamtest.com,davide@libra.it, pippo@libra.it](http://mail.esvaspamtest.com/esva-api/myemail.php?token=XXX&username=info@esvaspamtest.com&password=usertest&action=addblacklist&from=pippo123@libero.it&to=info@esvaspamtest.com,davide@libra.it,pippo@libra.it)

Old version Before 3.5.1

[http://mail.esvaspamtest.com/esva-api/myemail.php?token=XXX&username=info@esvaspamtest.com&password=usertest&action=**addblacklist**&from=pippo123@libero.it&to=info@esvaspamtest.com](http://mail.esvaspamtest.com/esva-api/myemail.php?token=XXX&username=info@esvaspamtest.com&password=usertest&action=addblacklist&from=pippo123@libero.it&to=info@esvaspamtest.com)

Errors:

◦ addWhiteList

<http://mail.esvaspamtest.com/esva-api/myemail.php?token=XXX&username=info@esvaspamtest.com&password=usertest&action=addwhitelist&from=pippo123@libero.it&to=info@esvaspamtest.com>

Errors: TO email not in User Alias.

Multi Recipients:

<http://mail.esvaspamtest.com/esva-api/myemail.php?token=XXX&username=info@esvaspamtest.com&password=usertest&action=addwhitelist&from=pippo123@libero.it&to=info@esvaspamtest.com,davide@libra.it,pippo@libra.it>

Old version Before 3.5.1

<http://mail.esvaspamtest.com/esva-api/myemail.php?token=XXX&username=info@esvaspamtest.com&password=usertest&action=addwhitelist&from=pippo123@libero.it&to=info@esvaspamtest.com>

Errori:

◦ delBlackList

<http://mail.esvaspamtest.com/esva-api/myemail.php?token=XXX&username=info@esvaspamtest.com&password=usertest&action=deleteblacklist&listid=3>

◦ delWhiteList

[http://mail.esvaspamtest.com/esva-api/myemail.php?token=XXX&username=info@esvaspamtest.com&password=usertest&action=**delwhitelist**&listid=3](http://mail.esvaspamtest.com/esva-api/myemail.php?token=XXX&username=info@esvaspamtest.com&password=usertest&action=delwhitelist&listid=3)